



Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





PERSPECTIVE (NO SCALE)



WINDOW SCHEDULE			
MARK	SIZE	TYPE	#REQ'D
A	2'-8"x 1'-6"	BASEMENT SASH	6
B	2'-8"x 4'-6"	DOUBLE HUNG SASH	10
C	2'-8"x 3'-2"	DOUBLE HUNG SASH	3
D	2'-8"x 3'-10"	DOUBLE HUNG SASH	14
E	2'-4"x 3'-2"	DOUBLE HUNG SASH	2

ALL USE INSULATED GLASS AND INCLUDE SCREENS AND STORM SASH.

DOOR SCHEDULE			
MARK	SIZE	TYPE	#REQ'D
1	3'-0"x 6'-8"	SOLID CORE EXTERIOR--GLAZED	1
2	3'-0"x 6'-8"	SOLID CORE EXTERIOR	1
3	3'-0"x 6'-8"	SCREEN AND/OR STORM	1
4	3'-0"x 6'-8"	SOLID CORE EXTERIOR--GLAZED	1
5	3'-0"x 6'-8"	SCREEN AND/OR STORM	1
6	2'-8"x 6'-8"	HOLLOW CORE INTERIOR	14
7	2'-8"x 6'-8"	HOLLOW CORE INTERIOR--GLAZED	1
8	1'-8"x 6'-8"	HOLLOW CORE INTERIOR	1
9	3'-0"x 6'-8"	BI-FOLD	8
10	5'-0"x 6'-8"	FOUR-FOLD	2
11	2'-0"x 6'-8"	BI-FOLD	4



CONSTRUCTION CHECK LIST

1. CHECK LOCAL BUILDING CODE AND LOAN COMPANY CRITERIA. RAFTERS MEET 45 LB SQ/FT TOTAL LOAD DESIGN CRITERIA.
2. ADEQUATELY NAIL AND ANCHOR JOINTS.
3. DOUBLE JOISTS UNDER TUBS AND OTHER HEAVY LOADS.
4. SHEATH CORNERS WITH 1/2" PLYWOOD OR HIGH DENSITY FIBERBOARD OR USE DIAGONAL BRACING.
5. USE EXTERIOR GLUED PLYWOOD WHEREVER IT MAY BE WETTED DURING OR AFTER CONSTRUCTION.
6. PRESSURE TREAT ALL WOOD WITH GROUND CONTACT AND PROVIDE OTHER NEEDED TERMITE CONTROL.
7. R VALUES DEPEND ON LOCAL CLIMATE AND FUEL COSTS.
8. PROVIDE 1 SQ FT OF ATTIC VENT OPENINGS FOR EACH 150 SQ FT OF CEILING.
9. WEATHERIZE ALL OPENINGS AND JOINTS.


COOPERATIVE EXTENSION SERVICE
AGRICULTURE AND HOME ECONOMICS

AND
UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING


5 BEDROOM HOUSE

USDA '65 7181 SHEET 2 OF 3




REV '86




REAR ELEVATION



DINING ROOM END ELEVATION



TYPICAL WALL SECTION



COOPERATIVE EXTENSION SERVICE
AGRICULTURE AND HOME ECONOMICS

AND UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING		
5 BEDROOM HOUSE		
USDA	'65	7181
		SHEET 3 OF 3
REV. '86		